

## AM Plus Series <sup>1080P Lite</sup>

### 1. UVR7TAA04AMPlus-D54G



H.265+ 4ch 1080P Lite 15fps 5 in1 UVR  
 4ch 1080P Lite 15fps Recording/ 4ch Playback  
 Video I/O: 4/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS, SATA\*1(8T HDD), 3G/4G, WIFI  
 USB Mouse, DC12V/2A Adapter Mic Support in Coaxial Mode  
 Smart Playback . Cloud Update . Cloud Storage  
 Line Crossing . Area Intrusion , **Deterrence Support**  
**4ch SMD based on Human and Vehicle**  
 Extra 2CH IP Event Stream Lock Files . Multi Cast



28,890,000 IR

### 2. UVR7TAA08AMPlus-D58G



H.265+ 8ch 1080P Lite 12fps 5 in1 UVR  
 8ch 1080P Lite 12fps Recording/ 8ch Playback  
 Video I/O: 8/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS, SATA\*1(8T HDD), 3G/4G, WIFI  
 USB Mouse, DC12V/2A Adapter  
 Mic Support in Coaxial Mode , **Deterrence Support**  
 Smart Playback . Cloud Update . Cloud Storage  
 Line Crossing . Area Intrusion  
**4ch SMD based on Human and Vehicle**  
 Extra 2CH IP Event Stream . Lock Files . Multi Cast



39,240,000 IR

### 3. UVR7TCA16AMPlus-D5C6



H.265+ 16ch 1080P Lite 12fps 5 in1 UVR  
 16ch 1080P Lite 12fps Recording/ 16ch Playback  
 Video I/O: 16/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS, SATA\*1(8T HDD), 3G/4G, WIFI  
 USB Mouse, DC12V/2A Adapter  
 Mic Support in Coaxial Mode , **Deterrence Support**  
 Smart Playback . Cloud Update . Cloud Storage  
 Line Crossing . Area Intrusion  
**8ch SMD based on Human and Vehicle**  
 Extra 2CH IP Event Stream . Lock Files . Multi Cast



67,580,000 IR

## H Series <sup>5MP Lite</sup>

### 4. UVR7TAA04H-D54G



H.265+ 4CH 5MP Lite@ 12fps UVR  
 4ch 5MP Lite@12fps Recording/4ch Playback  
 4ch 1080P@15fps Recording/4ch Playback  
 Video I/O:4/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,SATA\*1(8TB HDD), 3G/4G, WIFI  
 USB Mouse, DC12V/2A Adapter  
 Mic Support in Coaxial Mode  
 Smart Playback . Cloud Update . Cloud Storage Line Crossing . Area Intrusion  
 Extra 2CH IP . Event Stream . Lock Files . Multi Cast



38,000,000 IR

### 5 UVR7TCA08H-D58G



H.265+ 8CH 5MP Lite@ 12fps UVR  
 4ch 5MP Lite@12fps Recording/4ch Playback  
 4ch 1080P@15fps Recording/4ch Playback  
 Video I/O:8/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,SATA\*1(8T HDD), 3G/4G, WIFI  
 USB Mouse, DC12V/2A Adapter  
 Mic Support in Coaxial Mode  
 Smart Playback . Cloud Update . Cloud Storage Line Crossing . Area Intrusion  
 Extra 2CH IP . Event Stream . Lock Files . Multi Cast



59,000,000 IR

## 6. UVR7THB16H-D5C8



H.265+ 16CH 5MP Lite@12fps UVR  
 16ch 5MP Lite@12fps/1080P@15fps/1080P Lite@25fps Recording/16ch Playback  
 Video I/O: 16/ 1; Audio I/O: 4/ 1; HDMI,VGA,CVBS,  
 SATA\*1(8T HDD), 3G/4G, WIFI, PTZ ,USB Mouse, DC12V/2A Adapter  
 Mic Support in Coaxial Mode  
 Line Crossing . Area Intrusion . Region Entrance . Region Existing  
 Fast Moving .Unattended Object . Object Missing .  
**Face Detection**, Cloud Storage & Upgrade .  
 Smart Playback .Multi Cast. Extra 4CH IP, Dimension:250(W)x230(D)x45(H)mm



119,900,000 IR

## 7. UVR7THB16H-G1C5



H.265+ 16CH 5MP Lite@12fps UVR  
 16ch 5MP Lite@12fps/1080P@15fps/1080P Lite@25fps Recording/16ch Playback  
 Video I/O: 16/ 1; Audio I/O: 4/ 1; Alarm I/O: 4/ 1,HDMI,VGA,CVBS,  
 SATA\*2(8T HDD), 3G/4G, WIFI, PTZ USB Mouse, DC12V/4A Adapter  
 Mic Support in Coaxial Mode  
 Line Crossing . Area Intrusion . Region Entrance  
 Region Existing Fast Moving . Unattended Object . Object Missing .  
**Face Detection**, Cloud Storage & Upgrade , Smart Playback  
 Multi Cast , Extra 4CH IP, Dimension:326(W)x243(D)x52(H)mm



136,250,000 IR

## AH Series <sup>5MP Lite</sup>

## 8. UVR7TAA04AH-D14G



H.265+ 4ch 5MP Lite@12fps UVR  
 4CH 5M Lite@12fps/4M Lite@15fps/1080P@15fps Recording/4ch Playback  
 Video I/O:4/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,SATA\*1(8TB HDD), 3G/4G, WIFI  
 USB Mouse, DC12V/2A Adapter  
 Mic Support in Coaxial Mode , **Deterrence Support**  
 Smart Playback . Cloud Update . Cloud Storage  
 Line Crossing , Area Intrusion ,**Face detection** ,  
**SMD based on Human and Vehicle , PP**  
 Extra 2CH IP . Event Stream . Lock Files . Multi Cast



38,000,000IR

## 9. UVR7TAB08AH-D18A



H.265+ 8CH 5MP Lite@ 15fps UVR  
 8CH 5M Lite@15fps/4M Lite@15fps/1080P@15fps Recording/8ch Playback  
 Video I/O:8/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,SATA\*1(8TB HDD), 3G/4G, WIFI  
 USB Mouse, DC12V/2A Adapter  
 Mic Support in Coaxial Mode , **Deterrence Support**  
 Smart Playback . Cloud Update . Cloud Storage  
**(Line Crossing , Area Intrusion , Face detection , SMD based on Human and Vehicle , PP) Optional**  
 Extra 2CH IP . Event Stream . Lock Files . Multi Cast,



59,000.000IR

## RQ & Q Series <sup>8MP</sup>

### 12. UVR7TCA04RQ-D149




H.265+ 4CH 8MP 5 in 1 UVR  
 4ch 8MP 7fps Recording / 1ch Playback 4ch 5MP 12fps Recording /  
 4ch Playback 4ch 8MP Lite 15fps Recording / 4ch Playback Video I/O:4/ 1; Audio 4/ 1  
 HDMI,VGA,CVBS,SATA\*1(10T HDD), 3G/4G, WIFI, PTZ DC  
 12V/2A Adaptor Event Stream . Lock Files . Multicast Human Body Detection  
 Smart Playback . Cloud Update . Cloud Storage . USB Mouse  
 Line Crossing . Area Intrusion . Region Entrance . Region Existing Fast Moving .  
 Unattended Object . Object Missing . Face Detection  
 Extra 4CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support




### 13. UVR7TCG08RQ-D189




H.265+ 8CH 8MP 5 in 1 UVR  
 8ch 8MP 7fps Recording / 4ch Playback  
 8ch 5MP 12fps Recording / 8ch Playback  
 4ch 8MP Lite 15fps Recording / 8ch Playback  
 Video I/O:8/ 1; Audio 4/ 1;RS485  
 HDMI,VGA,CVBS,SATA\*1(10T HDD), 3G/4G, WIFI, PTZ  
 Smart Playback . Cloud Update . Cloud Storage  
 Line Crossing . Area Intrusion  
 Extra 8CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support



### 14. UVR6TH16Q-N5C2



H.265+ 16CH 8MP Lite 5 in 1 UVR  
 Channel Number: 16ch Analog 16ch 8MP 7fps Recording/  
 4ch Playback 16ch 5MP Lite 12fps Recording/8ch Playback  
 Video I/O: 16/ 1; Audio 4 /1; Alarm I/O 16/ 4  
 HDMI,VGA,CVBS,SATA 2\*(8T HDD), 3G/4G, WIFI, PTZ  
 Smart Playback . Cloud Update . Cloud Storage  
 Line Crossing . Area Intrusion . Region Entrance . Region Existing Fast Moving  
 Unattended Object . Object Missing . Face Detection  
 Extra 4CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support



## 1. UVC222B1AR-M

PRO



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
IR Cut, 2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera, **Built in Mic**  
2pcs SMD LED, IR range up to 30M  
3.6mm Lens  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: 66X175.3mm

Gross Weight: 280g



11,560,000 IR

## 2. UVC222B49M (2.8mm)

PRO



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30  
IR Cut, 2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
2pcs SMD LED  
IR range up to 30M  
2.8 mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: 68X153mm

Gross Weight: 300g



11,560,000 IR

## 3. UVC78B29R

PRO+



1/ 2.9" CMOS Sensor/2MP  
IR Cut, 2D/3D DNR, UTC  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
4pcs SMD LED  
IR range up to 40M  
3.6mm Lens  
Weather Resistance : IP66

Metal + Plastic Housing  
Size: 6235X83X72.7mm

Gross Weight: 520g



12,540,000 IR

## 4. UVC222B49M-M (3.6mm)

PRO



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
IR Cut, 2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
**Built in Mic**  
Fixed Bullet Camera  
2pcs SMD LED  
IR range up to 30M  
3.6mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: 68X153mm


Gross Weight: 300g



12,750,000 IR

## 5. UVC222B49M-C (2.8mm)

PRO



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
**Full color**  
Fixed Bullet Camera  
2pcs Warm light  
IR range up to 30M  
2.8mm Lens, F1.6  
Weather Resistance : IP67

Metal Housing  
Size: 68X153mm

Gross Weight: 300g



13,740,000 IR

## 6. UVC222B1AM-M (3.6mm)

PRO



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera, **Built in Mic**  
2pcs SMD LED  
IR range up to 30M  
3.6mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: 68X172.3mm

Gross Weight: 400g



13,960,000 IR

## 7. UVC222B1AM-M (4.0mm)

PRO



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera, **Built in Mic**  
2pcs SMD LED  
IR range up to 30M  
4.0mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: 68X172.3mm


Gross Weight: 400g



13,960,000 IR

## 8. UVC231B1AR-L

PRO+



1/ 3" CMOS Sensor  
2MP@25/30  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
2pcs SMD LED + 1pcs **White light**  
IR range up to 30M  
3.6 mm Lens  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: 65.5X183mm

Gross Weight: 220g



14,170,000 IR

## 9. UVC222B49M-MC (2.8mm)

PRO



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
**Full color**  
Fixed Bullet Camera, **Built in Mic**  
2pcs Warm light  
IR range up to 30M  
2.8mm Lens, F1.6  
Weather Resistance : IP67

Metal Housing  
Size: 68X153mm

Gross Weight: 300g



14,500,000 IR

## 10. UVC232B1AR-MC (2.8mm)

PRO+



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Full color  
Fixed Bullet Camera, **Built in Mic**  
2pcs Warm light  
IR range up to 30M  
2.8mm Lens, F1.6  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: 68X153mm

Gross Weight: 280g



14,900,000 IR

## 11. UVC64B1A

PRO+



1/ 2.9" Sony CMOS Sensor  
2MP@25/30fps  
IRCUT, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Super Starlight  
Fixed Bullet Camera  
2pcs SMD LED  
IR range up to 30M  
3.6mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: 62X163mm

Gross Weight: 400g



15,050,000 IR

## 12. UVC232B59R1-MC (3.6mm)

PRO+



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
**Full color**  
Fixed Bullet Camera, **Built in Mic**  
2pcs Warm light  
**IR range up to 50M**  
3.6mm Lens, F1.6  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: 83.1x73.1x227.6 mm

Gross Weight: 320g



15,500,000 IR

## 13. UVC78B29

(2.8mm)

PRO



1/ 2.9" CMOS Sensor  
2MP@25/30fps  
IR Cut, 2D/3D DNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
30pcs SMD LED  
IR range up to 50M  
2.8mm Lens  
Weather Resistance : IP66

Metal Housing  
Size: c67X211mm

Gross Weight: 720g



16,030,000 IR

## 14. UVC221B59M

(2.8mm)

PRO



1/ 2.9" CMOS Sensor  
2MP@25/30fps  
IR Cut, 2D/3D DNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
3Pcs SMD LED  
**IR range up to 50M**  
2.8mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: c68X172.3mm

Gross Weight: 400g



16,570,000 IR

## 15. UVC222B59M-M

(2.8mm)

PRO



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
IR Cut, 2D/3D DNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , **Built in Mic**  
3Pcs SMD LED  
**IR range up to 50M**  
2.8mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: Ø83.1×73.1×235.7 mm

Gross Weight: 700g



17,000,000 IR

## 17. UVC232T43P-M

(2.8mm)

PRO<sup>+</sup>



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
IR Cut, 2D/3D DNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera , **Built in Mic**  
1pcs SMD LED  
IR range up to 25M  
2.8mm Lens  
Weather Resistance : IP65

Plastic Housing  
Size: c96.8X85.5mm

Gross Weight: 120g



8,620,000 IR

## 18. UVC222T43P-MC

(2.8mm)


PRO



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
2D DNR, UTC , DWDR  
AHD/TVI/CVI/CVBS Output  
**Full color**  
Fixed Dome Camera, **Built in Mic**  
2pcs Warm light  
IR range up to 25M  
2.8mm Lens, F1.6  
Weather Resistance : IP65

Plastic Housing  
Size: c68X153mm

Gross Weight: 120g



9,810,000 IR

## 19. UVC222T9AR-M (2.8mm)

PRO



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera, **Built in Mic**  
2pcs SMD LED  
IR range up to 30M  
2.8mm Lens  
Weather Resistance : IP67

Plastic+ Plastic Housing  
Size: c102 x 82.4(H) mm Gross Weight: 220g



12,210,000 IR

## 20. UVC231T9AR-L

PRO+



1/ 3" CMOS Sensor  
2MP@25/30  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera  
2pcs SMD LED + 1pcs White light  
IR range up to 30M  
3.6 mm Lens  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: c 102 x 82.4(H) mm Gross Weight: 205g



14,170,000 IR

## 21. UVC232T9AR-MC (2.8mm)

PRO+



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
**Full color**  
Fixed Dome Camera, **Built in Mic**  
2pcs Warm light  
IR range up to 30M  
2.8mm Lens, F1.6  
Weather Resistance : IP67

Plastic Housing  
Size: c102 x 82.4(H) mm Gross Weight: 220g



14,900,000 IR

## 22. UVC64T9A

PRO+



1/ 2.9" Sony CMOS Sensor  
2MP@25/30fps  
IRCUT, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Super Starlight  
Fixed Dome Camera  
2pcs SMD LED  
IR range up to 30M  
3.6mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: c 102x82.4mm Gross Weight: 350g



15,050,000 IR

## 23. UVC85C29

PRO+



1/ 2.9" CMOS Sensor  
2MP@25/30  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Varifocal Bullet Camera  
30pcs SMD LED  
IR range up to 50M  
2.8-12mm Varifocal Lens  
Weather Resistance : IP66

Metal Housing  
Size: c 67 x 211 mm Gross Weight: 720g



17,010,000 IR

## 24. UVC85E97

PRO+



1/ 2.9" CMOS Sensor  
2MP@25/30  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Varifocal Dome Camera  
24 pcs SMD LED  
IR range up to 40M  
2.8-12mm Varifocal Lens  
Weather Resistance : IP66

Metal Housing  
Size: c 120\*108mm Gross Weight: 650g



17,010,000 IR

## 25. UVC64C59Z

PRO<sup>+</sup>



1/ 2.8" Sony CMOS Sensor  
2MP@25/30  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
**Super Starlight**  
Motorized Bullet Camera  
3 pcs SMD LED  
IR range up to 50M  
2.8-12mm Motorized Lens  
Weather Resistance : IP67

Metal Housing  
Size: Ø235\*83×72.7mm

Gross Weight: 700g



38,150,000 IR

## 26. UVC531B19M

(2.8mm)

PRO<sup>+</sup>



1/ 2.5" CMOS Sensor  
5MP@20fps  
IR CUT, 2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
18pcs SMD LED  
IR range up to 30M  
2.8mm Lens  
Weather Resistance : IP66

Metal Housing  
Size: ϕ152 x 67.5 mm

Gross Weight: 270g



15,810,000 IR

## 27. UVC532B49M

(2.8mm)

PRO<sup>+</sup>



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
IR Cut, 2DDNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
2pcs SMD LED  
IR range up to 30M  
2.8mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: ϕ68X153mm

Gross Weight: 300g



16,030,000 IR

## 28. UVC522B49M-M

(2.8mm)

PRO



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
IR Cut, 2DDNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera, **Built in Mic**  
2pcs SMD LED  
IR range up to 30M  
2.8mm Lens, F1.6  
Weather Resistance : IP67

Metal Housing  
Size: ϕ68X153mm

Gross Weight: 300g




16,350,000 IR

## 29. UVC522B49M-MC

(2.8mm)

PRO



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC, DWDR, **Fullcolor**  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera, **Built in Mic**  
2pcs Warmlight,  
IR range up to 30M  
2.8mm Lens, F1.6  
Weather Resistance : IP67

Metal Housing  
Size: ϕ68X153mm

Gross Weight: 300g



18,100,000 IR

## 30. UVC532B1AR-MC

(2.8mm)

PRO<sup>+</sup>



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC, DWDR, **Fullcolor**  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera, **Built in Mic**  
2pcs Warmlight,  
IR range up to 30M  
2.8mm Lens, F1.6  
Weather Resistance : IP67

Metal+Plastic Housing  
Size: ϕ66X175.3mm

Gross Weight: 280g



19,000,000 IR



## 31. UVC532B59R-MC

(3.6mm)

PRO<sup>+</sup>



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR ,Fullcolor  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , **Built in Mic**  
2pcs Warmlight,  
**IR range up to 50M**  
3.6mm Lens,F1.6  
Weather Resistance : IP67

Metal+Plastic Housing  
Size: Ø83.1x73.1x227.6 mm  
Gross Weight: 320g



19,000,000 IR

## 32. UVC522B59M

(2.8mm)

PRO



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
IR Cut, 2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
3pcs SMD LED  
**IR range up to 50M**  
2.8mm  
Weather Resistance : IP66

Metal Housing  
Size: 235×83×72.7mm  
Gross Weight: 700g



21,590,000 IR

## 33. UVC60B29

(2.8mm)

PRO



1/ 2.5" CMOS Sensor  
5MP@20fps  
IR Cut, 2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
4pcs SMD LED  
**IR range up to 50M**  
2.8mm  
Weather Resistance : IP66

Metal Housing  
Size: 235×83×72.7mm  
Gross Weight: 750g




21,590,000 IR

## 34. UVC522B59M-M

(2.8mm)

PRO



1/ 2.7" CMOS Sensor  
5MP@20fps  
IR Cut, 2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , **Built in Mic**  
3pcs SMD LED  
**IR range up to 50M**  
2.8mm , F 1.6  
Weather Resistance : IP67

Metal Housing  
Size: Ø83.1×73.1×235.7 mm  
Gross Weight: 700g



22,000,000 IR

## 35. UVC532T43P-M (2.8mm)

PRO<sup>+</sup>



1/ 2.7" CMOS Sensor  
5MP@20fps  
IR Cut, 2D/3D DNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera , **Built in Mic**  
1pcs SMD LED  
IR range up to 25M  
2.8mm Lens  
Weather Resistance : IP65

Plastic Housing  
Size: c96.8X85.5mm


Gross Weight: 120g



12,320,000 IR

## 36. UVC522T43P-MC (2.8mm)


PRO



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR , **Fullcolor**  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera , **Built in Mic**  
2pcs Warmlight,  
IR range up to 25M  
2.8mm Lens,F1.6  
Weather Resistance : IP65

Plastic Housing  
Size: c96.8X85.5mm

Gross Weight: 120g



13,470,000 IR

## 37. UVC522T45P-MC (2.8mm)

PRO



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR , **Fullcolor**  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera , **Built in Mic**  
2pcs Warmlight,  
IR range up to 25M  
2.8mm Lens,F1.6  
Weather Resistance : IP65

Plastic Housing  
Size: c96.8X85.5mm

Gross Weight: 120g



14,170,000 IR

## 38. UVC522T9AR (2.8mm)

PRO



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
IR CUT, 2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera  
2pcs SMD LED  
IR range up to 30M  
2.8mm Lens  
Weather Resistance : IP67

Metal+Plastic Housing  
Size: c102X82.4mm Gross Weight: 205g



15,050,000 IR

## 39. UVC522T9AR-M (2.8mm)

PRO



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
IR Cut, 2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera , **Built in Mic**  
2pcs SMD LED  
IR range up to 30M  
2.8mm Lens  
Weather Resistance : IP67

Metal+Plastic Housing  
Size: 102×82.4×72.7mm


Gross Weight: 205g



16,900,000 IR

## 40. UVC532T9AR-MC (2.8mm)

PRO<sup>+</sup>



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR ,Fullcolor  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera ,Built in Mic  
2pcs Warmlight,  
IR range up to 30M  
2.8mm Lens,F1.6  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: C102X82.4mm

Gross Weight: 205g



19,000,000 IR

## 41. UVC83C29

PRO<sup>+</sup>



1/ 2.5" CMOS Sensor  
5MP@20fps  
IR Cut, 2D/3D DNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Varifocal Bullet Camera  
30pcs SMD LED  
IR range up to 50M  
3.3-12mm Varifocal Lens  
Weather Resistance : IP66

Metal Housing  
Size: c 67 x 211 mm

Gross Weight: 720g



21,040,000 IR

## 42. UVC532C59M

PRO<sup>+</sup>



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Varifocal Bullet Camera  
3pcs SMD LED,  
IR range up to 50M  
3.3-12mm Varifocal Lens  
Weather Resistance : IP67

Metal Housing  
Size: c235X83X72.7mm

Gross Weight: 700g



26,160,000 IR

## 43. UVC83E97

PRO<sup>+</sup>



1/ 2.5" CMOS Sensor  
5MP@20fps  
IRCUT, 2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Varifocal Dome Camera  
24pcs SMD LED  
IR range up to 40M  
3.3-12mm Varifocal Lens  
Weather Resistance : IP66

Metal Housing  
Size: C120X108mm

Gross Weight: 650g



21,040,000 IR